POPULATION ESTIMATES	LONG	G-TERM CARE -		LOCAL HEALT	H DEPARTM	ENTS
						Per
Total 2003 Population 20,5	O   Community Optic					10, 000
	as HSRS reports	s costs for s	ervi ces	Staffing - FTE	Number	Popul ation
Population per square mile	2			Total štaff Administrative	6. 7	3. 3
County ranking in state (1-72)	9	Clients	Costs	Admi ni strati ve	1. 0	0. 5
	COP MA Waiver *	3	\$42, 263	Public health nurse Other prof. staff Technical/Paraprof. Support staff	s 2.0	1.0
Age Female Male Tot	I   MA Waiver *	_		Other prof. staff	1. 2	0. 6
0-14 1, 430 1, 520 2, 9	0   CLP1A	5	\$241, 704	Techni cal /Paraprof.	1. 5	0. 7
1 13-17 310 370 1, 1	0   CI P1B	52	\$482, 437	Support staff	1. 0	0. 5
20-24 380 580 9	0   CI P2	6	\$57, 341			
25-29 370 660 1,0	O   COP-W	91	\$512, 594	Fundi ng Total _	****	Per capi ta
30-34 450 740 1,1 35-39 580 810 1.3	MA Walver ** CIP1A CIP1B CIP2 COP-W CSLA Brain Injury Total COP/Wvrs	0	\$0	lotai	\$380, 177	\$18. 59
	Brain Injury	4	\$159, 830	Local Taxes	\$136, 195	\$6. 66
40-44 750 920 1, 6	o   Total COP/WVrs	161 \$	1, 453, 905	LLOENCED EC	TABLICUME	NTC
45-54 1, 450 1, 730 3, 1	0   #157 240 - 5	<b>4</b>   <b>6</b>   <b>6</b>		LI CENSED ES	I ABLI SHIME	N12
55-64 1, 510 1, 520 3, 0	0 \$156,349 OT	the above wa		T. 1900	Canadi tu	Facilities
65-74 1, 180 1, 280 2, 4 75-84 650 600 1, 2	0 were paid as I	ocai illaten/o	vermatch	Type	Capacity	Facilities
75-84 650 600 1, 2 85+ 230 140 3	0 using COP fund 0 not included i		unt 15	Type Bed & Breakfast Camps Hotels, Motels Tourist Rooming Pools	2 404	4 26
Total 9, 490 11, 090 20, 5	not included i	II above cor	COSTS.	Uatols Matals	2, 004 000	41
10tal 9,490 11,090 20,5	* Waiver costs	roported be	ro	Tourist Pooming	600	21
Age Female Male Tot	include feder			Pools	01	23
0-17 1, 750 1, 870 3, 6	n   Therade reder	ar runurng.		Restaurants		114
18-44 2,720 3,950 6,6	n	Clients	Costs	Vendi ng		117
45-64 2, 960 3, 250 6, 1	0 Fligible and	orronts	00313	vending		•
65+ 2,060 2,020 4,0	0 Eligible and 0 Waiting	61	n/a			
Total 9, 490 11, 090 20, 5	n i iiai ti iig	0.	11, 4			
7,170 11,070 20,0	(Family Care no	ot provided i	n county)	WIC PART	I CI PANTS	
Poverty Estimates for 2000	(* 3 )					
Fetimate (C I ±/	)					Number
All ages 1,934 1	2 Note: Eligible	and waiting	clients	Pregnant/Postpartum		250
10.4% (6%	will be phase	ed into the C	OP and MA	Infants		290
All ages 1, 934 1 10. 4% (6% Ages 0-17 566 14. 6% (8%	5   Waivers as av			Children, age 1-4		380
14.6% (8%				Total		920
EMPLOYMENT				CANCER INCI	DENCE (20	02)
Average wage for jobs covered	Home Health Age	enci es	1	Primary Site		
by unemployment compensation \$26,5	8   Patients		259	Breast		11
(place of work)	Patients per 1	10,000 pop.	126	Cervi cal		0
Annu	·			Colorectal		12
Labor Force Estimates Avera	e Nursing Homes		2	Lung and Bronchus		20
Obstation Labora Farms	Li censed beds		120	Prostate		13
Civilian Labor Force 9, 3	3   Occupancy rate	)	80.8%	Other sites		53
Number employed 8, 7	Kesidents on D	JEC. 31	9/	Total		109
Civilian Labor Force 9,3 Number employed 8,7 Number unemployed 5 Unemployment rate 5	Residents age	ob or order	22	Note: Total a about a	ro for	
unemproyment rate 5	Nursing Homes Licensed beds Cocupancy rate Residents on D Residents age per 1,000 pop	our a tron	23	Note: Totals shown a invasive cance		
	 			THVASI VE CAILCE	13 UH y.	

			NATA	JITY				
TOTAL LIVE BIRTHS		161		Births	Percent	Marital Status		1
TOTAL LIVE BIRTHS		101	First	69	43	of Mother	Bi rths	Percent
Crude Live Birth Rate		7. 8	Second	56	35	Marri ed	111	69
			Thi rd	25	16	Not married	50	31
General Fertility Rat	е	32. 9	Fourth or higher	20 11	7		0	
1. Complete and the complete			Four th or higher			Unknown	U	0
Live births with repo congenital anomalies	rtea		Unknown	0	0			
congenital anomalies		0 0.0%				Educati on		
						of Mother	Bi rths	Percent
Delivery Type	Bi rths	Percent	1st Prenatal Visit		Percent	Elementary or le	ss 0	0
Vagi nal after			1st trimester	130	81	Some high school	25	16
previ ous cesarean	0	0	2nd trimester	27	17	High school	75	47
Forceps	3	2	3rd trimester	3	2	Some college	41	25
Other vaginal	3 111 25	69	No visits	27 3 1 0	1	College gräduate	20	12
Primary česarean	25	16	Unknown	0	0	Unknown	0	0
Repeat cesarean	22	14						
·			Prenatal Visits	Bi rths	Percent	Smoking Status		
Bi rthwei ght	Bi rths	Percent	No visits	1	1	of Mother	Bi rths	Percent
<1, 500 gm	1	0.6	1-4	2	1	Smoker	54	34
1, 500-2, 499 gm	8	5. 0	5-9	43	27	Nonsmoker	107	66
2, 500+ gm	152	94. 4	10-12	78	48	Unknown	0	0
Unknown	1 8 152 0	0	13+	37	23	o	Ü	
O'IIKI IOWI I	O	Ü	Unknown	0	0			
			Officiowit	O				+
			low Birthweight		Trimest	er of First Prenata	I Visit	
			Low Birthweight	1st Tr	Trimest	er of First Prenata	l Visit	'Ilnknown
Race/Ethnicity	Rirths F	Percent	(under 2,500 am)	1st Tr	imester	2nd Trimester	Other/	'Unknown Percent
Race/Ethni ci ty	Births F		(under 2,500 gm) Births Percent	Bi rths	imester Percent	2nd Trimester Births Percent	Other/ Bi rths	Percent
White	155	96	(under 2,500 am)	1st Tr Births 125	imester	2nd Trimester	Other/	
Whi te Bl ack/Afr. Ameri can	155 1	96 1	(under 2,500 gm) Births Percent	Bi rths	imester Percent	2nd Trimester Births Percent	Other/ Bi rths	Percent
White Black/Afr. American American Indian	155 1 2	96 1 1	(under 2,500 gm) Births Percent	Bi rths	imester Percent	2nd Trimester Births Percent	Other/ Bi rths	Percent
White Black/Afr. American American Indian Hispanic/Latino	155 1 2 1	96 1 1 1	(under 2,500 gm) Births Percent	Bi rths	imester Percent	2nd Trimester Births Percent	Other/ Bi rths	Percent
White BI ack/Afr. American American Indian Hispanic/Latino Laotian/Hmong	155 1 2 1 0	96 1 1 1 0	(under 2,500 gm) Births Percent	Bi rths	imester Percent	2nd Trimester Births Percent	Other/ Bi rths	Percent
White Black/Afr. American American Indian Hispanic/Latino	155 1 2 1	96 1 1 1	(under 2,500 gm) Births Percent	Bi rths 125 * * *	imester Percent	2nd Trimester Births Percent	Other/ Bi rths	Percent
White BI ack/Afr. American American Indian Hispanic/Latino Laotian/Hmong	155 1 2 1 0	96 1 1 1 0	(under 2,500 gm) Births Percent 7 4.5 * * * * * * * * * * * * * * * * * * *	Bi rths 125 * * *	imester Percent 81	2nd Trimester Births Percent 26 17  *	Other/ Bi rths 4 * * *	Percent
White BI ack/Afr. American American Indian Hispanic/Latino Laotian/Hmong	155 1 2 1 0 2	96 1 1 1 0 1	(under 2,500 gm) Births Percent 7 4.5 * * * * * * * * * * * * * * * * * * *	Bi rths 125 * * *	i mester Percent 81	2nd Trimester Births Percent 26 17  * * * * * * * * * * * * * * * * * *	Other/Births 4 * * * *	Percent 3
White BI ack/Afr. American American Indian Hispanic/Latino Laotian/Hmong Other/Unknown	155 1 2 1 0 2 Fe	96 1 1 1 0 1 	(under 2,500 gm) Births Percent 7 4.5 * * * * * * Low Birthweight (under 2,500 gm)	Bi rths 125 * * *	i mester Percent 81	2nd Trimester Births Percent 26 17  * * * * * * * * * * * * * * * * * *	Other/Births 4 * * * *	Percent 3
White BI ack/Afr. American American Indian Hispanic/Latino Laotian/Hmong Other/Unknown	155 1 2 1 0 2 Fe Bi rths	96 1 1 0 1  ertility Rate	(under 2,500 gm) Births Percent 7 4.5 * * * * * * * * * * * * * * * * * * *	Bi rths 125 * * *	i mester Percent 81	2nd Trimester Births Percent 26 17  * * * * * * * * * * * * * * * * * *	Other/Births 4 * * * *	Percent 3
White BI ack/Afr. American American Indian Hispanic/Latino Laotian/Hmong Other/Unknown  Age of Mother <15	155 1 2 1 0 2 Fe Bi rths	96 1 1 0 1 	(under 2,500 gm) Births Percent 7 4.5 * * * * * * * * * * * * * * * * * * *	Bi rths 125  *  *  *  *  1st Tr  Bi rths	i mester Percent 81	2nd Trimester Births Percent 26 17  * * * * * * * * * * * * * * * * * *	Other/Births 4 * * * *	Percent 3
White BI ack/Afr. American American Indian Hispanic/Latino Laotian/Hmong Other/Unknown  Age of Mother <15 15-17	155 1 2 1 0 2  Fe Bi rths 0 8	96 1 1 0 1 	(under 2,500 gm) Births Percent 7 4.5 * * * * * * Low Birthweight (under 2,500 gm)	Bi rths 125  *  *  *  *  1st Tr Bi rths . 6	i mester Percent 81	2nd Trimester Births Percent 26 17  * * * * * * * * * * * * * * * * * *	Other/Births 4 * * * *	Percent 3
White BI ack/Afr. American American Indian Hispanic/Latino Laotian/Hmong Other/Unknown  Age of Mother <15 15-17 18-19	155 1 2 1 0 2  Fe Bi rths 0 8 13	96 1 1 0 1 	(under 2,500 gm) Births Percent 7 4.5 * * * * * * * * * * * * * * * * * * *	Bi rths 125 * * * Bi rths 6	i mester Percent 81	2nd Trimester Births Percent 26 17  *	Other/Births 4 * * * *	Percent 3
White BI ack/Afr. American American Indian Hispanic/Latino Laotian/Hmong Other/Unknown  Age of Mother <15 15-17 18-19 20-24	155 1 2 1 0 2  Fe Bi rths 0 8 13 47	96 1 1 0 1 	(under 2,500 gm) Births Percent 7 4.5 * * * * * * Low Birthweight (under 2,500 gm) Births Percent . 1 12.5 . 3 6.4	Bi rths 125 * * *	i mester Percent 81	2nd Trimester Births Percent 26 17  *	Other/Births 4 * * * *	Percent 3
White BI ack/Afr. American American Indian Hispanic/Latino Laotian/Hmong Other/Unknown   Age of Mother <15 15-17 18-19 20-24 25-29	155 1 2 1 0 2  Fe Bi rths 0 8 13 47 45	96 1 1 0 1 	(under 2,500 gm) Births Percent 7 4.5 * * * * * * Low Birthweight (under 2,500 gm) Births Percent . 1 12.5 . 3 6.4 4 8.9	Bi rths 125 * * *	i mester Percent 81	2nd Trimester Births Percent 26 17  *	Other/Births 4 * * * *	Percent 3
White BI ack/Afr. American American Indian Hispanic/Latino Laotian/Hmong Other/Unknown   Age of Mother <15 15-17 18-19 20-24 25-29 30-34	155 1 2 1 0 2 	96 1 1 0 1 	(under 2,500 gm) Births Percent 7 4.5 * * * * * * Low Birthweight (under 2,500 gm) Births Percent . 1 12.5 . 3 6.4	Bi rths 125 * * *	i mester Percent 81	2nd Trimester Births Percent 26 17  *	Other/Births 4 * * * *	Percent 3
White BI ack/Afr. American American Indian Hi spanic/Latino Laotian/Hmong Other/Unknown  Age of Mother <15 15-17 18-19 20-24 25-29 30-34 35-39	155 1 2 1 0 2 	96 1 1 0 1 	(under 2,500 gm) Births Percent 7 4.5 * * * * * * Low Birthweight (under 2,500 gm) Births Percent . 1 12.5 . 3 6.4 4 8.9	Bi rths 125 * * *	i mester Percent 81	2nd Trimester Births Percent 26 17  *	Other/Births 4 * * * *	Percent 3
White Black/Afr. American American Indian Hispanic/Latino Laotian/Hmong Other/Unknown  Age of Mother <15 15-17 18-19 20-24 25-29 30-34 35-39 40+	155 1 2 1 0 2 	96 1 1 0 1 	(under 2,500 gm) Births Percent 7 4.5 * * * * * * Low Birthweight (under 2,500 gm) Births Percent . 1 12.5 . 3 6.4 4 8.9	Bi rths 125 * * *	i mester Percent 81	2nd Trimester Births Percent 26 17  *	Other/Births 4 * * * *	Percent 3
White BI ack/Afr. American American Indian Hi spanic/Latino Laotian/Hmong Other/Unknown  Age of Mother <15 15-17 18-19 20-24 25-29 30-34 35-39	155 1 2 1 0 2 	96 1 1 0 1 	(under 2,500 gm) Births Percent 7 4.5 * * * * * * Low Birthweight (under 2,500 gm) Births Percent . 1 12.5 . 3 6.4 4 8.9	Bi rths 125 * * *	i mester Percent 81	2nd Trimester Births Percent 26 17  *	Other/Births 4 * * * *	Percent 3

MORBI DI TY			MORTALITY					
REPORTED CASES OF SELECTED DISEASES*	Note: Death rates (except infant) are per 100,000 population. Infant, neonatal, and postneonatal death rates are per 1,000 live births.  Perinatal and fetal death rates are per 1,000 live births plus fetal deaths. Rates are not calculated for fewer than 20 deaths.							
Disease Sumber Campylobacter Enteritis Sumpylobacter S	1-4 5-14 15-19 20-34 35-54 55-64	239 1, 162  eaths Rate	Selected Underlying Cause Heart Disease (total) Ischemic heart diseas Cancer (total) Trachea/Bronchus/Lung Colorectal Female Breast Cerebrovascular Diseas Lower Resp. Disease Pneumonia & Influenza Accidents	e 37 180 74 360 22 107 5 . 1 .* e 14 . 16 . 4 .				
Pertussis 0 Sal monel Losis 7 Shi gel Losis 0 Tubercul osis <5	65-74 75-84 85+ Infant	70 5, 573 54 14, 486	Motor vehicle Diabetes Infect./Parasitic Dis. Suicide	6				
<ul> <li>* 2003 provisional data.</li> <li>** Includes all positive HBsAg test results.</li> </ul>	Mortality De Total Infant Neonatal Postneonatal Unknown		* Based on female popu ALCOHOL AND DRUG ABUSE OR CONTRIBUTING CAU	lation.  AS UNDERLYING				
Sexually Transmitted Disease Chlamydia Trachomatis 21 Genital Herpes 9 Gonorrhea <5 Syphilis 0	Race of Mother White Black Hispanic	2 .	Al cohol Other Drugs Both Mentioned * Includes tobacco use	(see page 7).				
Children in Grades K-12 by Compliance Level Compliant 2,020 Non-compliant 19 Percent Compliant 99.1	Birthweight <1,500 gm 1,500-2,499 gm 2,500+ gm Unknown  Perinatal Mortality Total Perinatal Neonatal Fetal	eaths Rate 1 .	Note: These data are b of crash, not o  Type of Motor Vehicle Crash Total Crashes Alcohol-Related With Citation: For OWI For Speeding Motorcyclist Bicyclist Pedestrian	Persons Persons Injured Killed 207 7 36 4  20 0 26 1 9 0 1 0				

DISEASE / Number	DL05405 /	Per	Average		Charge	ITALIZATIONS		Per	Average		Charge
Total		1,000	Stay	Average	Per	DI SEASE /		1,000	Stay	Average	Per
Total 199 9.7 5.6 \$21,004 \$203  18-44 52 7.8 6.2 \$26,438 \$206  45-64 58 9.4 6.6 \$22,195 \$208  65+ 74 18.1 5.2 \$17,429 \$316  Injury: Hip Fracture  Total 17  65+ 15	AGE GROUP Number	Рор	(Days)	Charge	Capi ta	AGE GROUP	Number	Рор	(Days)	Charge	Capi ta
18	Injury-Related: All					Al cohol -Rel ated					
18-44		9. 7	5. 6	\$21,004	\$203		30	1. 5	5. 1	\$5, 645	\$8
A5-64   58   9.4   5.6   \$22, 195   \$208   Frequency   \$316   \$150   \$110   \$17   \$110   \$1	<18 15					18-44	8				
Total			6. 2	\$26, 438							
Total   17			5. 6	\$22, 195		Pneumonia and Ir	nfl uenza				
Total   17		18. 1	5. 2	\$17, 429	\$316		89	4. 3	4. 7	\$11, 338	\$49
Total 17	Injury: Hip Fracture					<18					
Total   14						45-64	24	3. 9	4. 8	\$12, 230	\$47
Total 14						65+		13. 0	4. 8	\$11, 702	\$152
Total 14	Injury: Poisonings					Cerebrovascul ar	Di sease				
18-44	Total 14					Total	75				
Psychiatric  Total 116 5.6 7.5 \$6,924 \$39	18-44 7					45-64	20	3. 2	3. 1	\$16,643	\$54
Total 116 5.6 7.5 \$6,924 \$39						65+	54	13. 2	4. 1	\$15, 473	\$205
<18 30 8.3 8.4 \$6,725 \$56 18-44 54 8.1 7.4 \$6,386 \$52 45-64 21 3.4 57 \$6,493 \$22 65+ 11 Coronary Heart Di sease Total 190 9.2 3.9 \$25,430 \$235 45-64 57 9.2 3.9 \$28,077 \$259 65+ 125 30.6 4.0 \$24,653 \$754 Total Total 18-44 125 30.6 4.0 \$24,653 \$754 Total 18-44 125 30.6 4.0 \$24,653 \$754 Total 18-44 12 125 30.6 4.0 \$24,653 \$754 Total 18-44 12 125 30.6 4.0 \$24,653 \$754 Total 18-44 12 12 30.6 4.0 \$24,653 \$754 Total 19-2 3.9 \$28,077 \$259 65+ 125 30.6 4.0 \$24,653 \$754 Total 18-44 12 12 10 <p< td=""><td>Psychi atri c</td><td></td><td></td><td></td><td></td><td>Chronic Obstruct</td><td>tive Pulm</td><td>onary D</td><td>)i sease</td><td></td><td></td></p<>	Psychi atri c					Chronic Obstruct	tive Pulm	onary D	)i sease		
<18		5. 6	7. 5	\$6, 924	\$39	Total	83	4. 0	3. 7	\$9, 731	\$39
45-64 21 3.4 5.7 \$6, 493 \$22	<18 30	8. 3	8. 4	\$6, 725			4				
45-64 21 3.4 5.7 \$6,493 \$22	18-44 54	8. 1	7. 4	\$6, 386	\$52		11				
65+ 11	45-64 21				\$22	45-64					
Coronary Heart Di sease								12. 5	3. 7	\$9, 595	\$120
Total 190 9.2 3.9 \$25,430 \$235						Drug-Rel ated				·	
Total	Coronary Heart Disease					Total	18				
45-64 57 9.2 3.9 \$28,077 \$259   65+ 125 30.6 4.0 \$24,653 \$754    Malignant Neoplasms (Cancers): All	Total 190	9. 2	3. 9	\$25, 430	\$235	18-44	12				
Total Hospitalizations	45-64 57	9. 2	3. 9	\$28,077	\$259						
Malignant Neoplasms (Cancers): All  Total 94 4.6 5.4 \$18,465 \$84  18-44 55	65+ 125	30. 6	4. 0	\$24,653	\$754	Total Hospitaliz	zati ons				
Malignant Neoplasms (Cancers): All Total 94 4.6 5.4 \$18,465 \$84 18-44 5				•		Total '	2, 390	116. 2	4. 2	\$12, 890	\$1, 497
Total 94 4.6 5.4 \$18,465 \$84	Malignant Neoplasms (Ca	ncers):	Al I			<18	286	78. 8	3. 5	\$5, 375	\$424
18-44       5       . <td>Total 94</td> <td>4. 6</td> <td>5. 4</td> <td>\$18, 465</td> <td>\$84</td> <td>18-44</td> <td>537</td> <td></td> <td>3. 5</td> <td>\$9, 515</td> <td>\$766</td>	Total 94	4. 6	5. 4	\$18, 465	\$84	18-44	537		3. 5	\$9, 515	\$766
Neopl asms: Female Breast (rates for female population)   Total   3     Total   372   18.1   4.2   \$10, 159   \$184	18-44 5					45-64	580	93. 7	4. 4	\$15, 597	\$1, 462
Neopl asms: Female Breast (rates for female population)   Total   3     Total   372   18.1   4.2   \$10, 159   \$184	45-64 29	4. 7			\$77	65+	987	241. 6	4. 7	\$15, 313	\$3,700
Total 3	001	14. 2	5. 8	\$19, 990	\$284						
Total 3	Neoplasms: Female Bre	ast (ra	tes for	female po	opul ati on)						
Neopl asms: Colo-rectal	Total 3								4. 2	\$10, 159	
Total       8       .       .       .       .       .       18-44       44 6.6 2.6 \$7, 155 \$47       .       <	Neoplasms: Colo-recta	ıl .				<18			4. 2	\$6, 592	\$27
Neoplasms: Lung Total  Total  Neoplasms: Lung Total  Total  Total  Total  Neoplasms: Lung Total  Tot	Total 8					18-44	44		2. 6	\$7, 155	\$47
Neoplasms: Lung Total  Diabetes Total  35 1.7 4.8 \$15,373 \$26  Neoplasms: Lung Total  4.4 \$10,666 \$595  * Hospitalizations for conditions where timely and effecti ambulatory care can reduce the likelihood of hospitalizati						45-64		13. 7	4. 4	\$10, 986	
Total 15	Neoplasms: Lung					65+		55.8			\$595
/F. 0	Total 5				•					•	
/Γ. 0	Di abetes					* Hospitalizations	for cond	itions	where t	imely and	effecti ve
/F. 0		1. 7	4.8	\$15, 373	\$26	ambulatory care car	n reduce	the lik	cel i hood	of hospi	tal i zati o
		•	•	•	•						